

INDEX TO VOLUME 110

New scientific names are in bold face

- Alberta 379–388
Albizia julibrissin new to Connecticut 354–358
Allegheny Plateau, New York 157–170
Ambrosia × helenae new to Connecticut 354–358
Amelanchier alnifolia var. *pumila* (Rosaceae) in Alberta, with notes on its classification and identification. 379–388; species description 384–386; key to *Amelanchier* in Alberta and British Columbia 386–387
Amelanchier alnifolia var. *pumila* 379–388
Anmophila (Poaceae) 129–156
ANNOUNCEMENTS:
Merritt Lyndon Fernald Award 363
NEBC Graduate Student Research Award 362
Anoxia 217–224
Anoxic propagule survival in *Vaucleria* (Vaucheriales, Heterokontophyta) from New England riparian sediments. 217–224
Bellavance, Marie-Ève 225–230
Biodiversity 296–344
Biodiversity, seaweeds 1–102, 406–479
Bog 296–344
BOOK REVIEWS:
Botany Everywhere: Woods, Field, Home & Garden Plants of NE USA. 111–113
Glistening Carnivores: The Sticky-Leaved Insect-Eating Plants. 493–495
Macrolichens of New England. The, 235–238
Brission, Jacques, Étienne Paradis, and Marie-Ève Bellavance. Evidence of sexual reproduction in the invasive common reed (*Phragmites australis* subsp. *australis*; Poaceae) in eastern Canada: A possible consequence of global warming? 225–230 (Note)
Campanulaceae 210–216
Campanulaceae for Veracruz, Mexico, with comments on similar species. New reports of three species of, 210–216
Canada, eastern 225–230
Casco Bay, Maine 1–102
Castillo-Campos, Gonzalo 210–216
Catling, Paul M. *Amelanchier alnifolia* var. *pumila* (Rosaceae) in Alberta, with notes on its classification and identification. 379–388; species description 384–386; key to *Amelanchier* in Alberta and British Columbia 386–387
Catling, Paul M. 129–156
Centropogon oaxacanus, new report for Veracruz, Mexico 210–216; distribution map 211
Champaign County, Ohio 178–209
Checklist, flora of Lake Umbagog peatland 296–344
Checklist for Contributors to *Rhodora* 120–127
Chronosequence 157–170
Collins, F. S., field notebook (diary; seaweeds) 1–102
Common reed 225–230
Connecticut 217–224, 354–358
Connolly, Bryan A. Six new vascular plant taxa for Connecticut. 354–358 (New England Note)
Coos County, NH 296–344
Copenheaver, Carolyn A. Old-field succession in western New York: The progression of forbs and woody species from abandonment to mature forest. 157–170
Crow, Garrett E. 296–344
Dawes, Clinton J. 1–102, 406–479

- Delisle-Oldham, Mireille B., Michael J. Oldham, and Paul M. Catling. Taxonomic recognition of *Ammophila champlainensis* and morphological variation in northeastern North American *Ammophila* (Poaceae). 129-156
- Delmareia attenuata* 231-234
- Dirca mexicana* 365-378
- Dysphania pumilio* new to Connecticut 354-358
- Early succession 171-177
- Ebinger, John E. 171-177
- Ecology, seaweeds 1-102
- Egan, Todd P. 485-492
- Endangered species, *Ammophila champlainensis* 129-156
- Endemic plants, Mexico 365-378
- Evans, Dan K. 178-209
- Evidence of sexual reproduction in the invasive common reed (*Phragmites australis* subsp. *australis*; Poaceae) in eastern Canada: A possible consequence of global warming? 225-230 (Note)
- Fagaceae 480-484
- Fatoua villosa* new to Connecticut 354-358
- Fen 178-209, 296-344
- Fifteen woody species with potential for invasiveness in New England. 345-353 (New England Note)
- Flora 296-344
- Floristic diversity 296-344
- Fouling seaweeds 406-479
- Global warming, possible effect on sexual reproduction of *Phragmites australis* subsp. *australis* in eastern Canada 225-230
- Graves, William R. Habitat and reproduction of *Dirca mexicana* (Thymelaeaceae). 365-378
- Gulf of Maine 1-102
- Gulf of Mexico 210-216
- Habitat and reproduction of *Dirca mexicana* (Thymelaeaceae). 365-378
- Hebre, Edward J. 1-102
- Herbaceous plant succession at Sand Prairie-Scrub Oak Nature Preserve, Mason County, Illinois. 171-177
- Herbarium specimens 389-405
- Herron, Patrick 345-353
- Heterokontophyta, Vaucheriales 217-224
- Historical comparison of seaweed populations from Casco Bay, Maine. An. 1-102
- Historical record of plant taxa, Isles of Shoals, ME-NH 245-295
- Ho, Mengchi 480-484
- Hunt, Caitlyn 217-224
- Illinois 171-177
- In defense of the binomial *Quercus ellottii* (Fagaceae) for the Running Oak of the southeastern United States. 480-484 (Note)
- IN MEMORIAM:
- Richard Hale Goodwin 1910-2007 Botanist, Teacher, Conservationist, and Mentor 103
- Introduced species, seaweeds 406-479
- Invasive plant taxa, Isles of Shoals, ME-NH 245-295
- Invasive species predicted for New England 345-353
- Invasive species, *Phragmites australis* subsp. *australis* 225-230
- Isles of Shoals 245-295
- Juneberry 379-388
- Kass, Lee B. 485-492
- Land use history 157-170, 245-295
- Land use history, flora, and natural communities of the Isles of Shoals, Rye, New Hampshire and Kittery, Maine. The. 245-295; botanical history 251-253; rare taxa 262-263; invasive plant taxa 264; check-

- list of vascular plants 279–293; key to natural communities 293–295
- Latimer, Andrew 345–353
- Leatherwood 365–378
- Leicht-Young, Stacey 345–353
- Lobelia caerulea*, *L. tatea*, new reports for Veracruz, Mexico 210–216; distribution map 211
- Lucy, Thomas F., plant collections at Buffalo Society of Natural Sciences 485–492
- Maine 1–102, 245–295
- Maritime islands 245–295
- Martine, Christopher T., Stacey Leicht-Young, Patrick Herron, and Andrew Latimer. Fifteen woody species with potential for invasiveness in New England. 345–353 (New England Note)
- Mathieson, Arthur C., Edward J. Hehre, Clinton J. Dawes, and Christopher D. Neefus. An historical comparison of seaweed populations from Casco Bay, Maine. 1–102
- Mathieson, Arthur C., Judith Pederson, and Clinton J. Dawes. Rapid assessment surveys of fouling and introduced seaweeds in the Northwest Atlantic. 406–479; list of seaweed species found 416–424
- McClain, William E. and John E. Ebinger. Herbaceous plant succession at Sand Prairie-Scrub Oak Nature Preserve, Mason County, Illinois. 171–177
- Mexico 210–216, 365–378
- Morphological discrimination of *Platanthera aquilonis*, *P. huronensis*, and *P. dilatata* (Orchidaceae) herbarium specimens. 389–405
- Morphological variation, *Ammophila* 129–156
- Morphology 389–405
- Natural community system 245–295
- Nazaire, Mare and Garrett E. Crow. A study of the vegetation and floristic diversity of two peatland complexes of post-settlement origin in Lake Umbagog National Wildlife Refuge, Coos County, New Hampshire. 296–344
- NEBC Meeting News 114–119, 240–244, 359–361, 497–498
- Neefus, Christopher D. 1–102
- New Books 239, 496
- New England 217–224, 345–353
- New Hampshire 245–295, 296–344
- New records, Alberta 379–388; Connecticut 354–358
- New reports of three species of Campanulaceae for Veracruz, Mexico, with comments on similar species. 210–216
- New York 157–170
- Nichols, Virginia C. 245–295
- Nichols, William F. and Virginia C. Nichols. The land use history, flora, and natural communities of the Isles of Shoals, Rye, New Hampshire and Kittery, Maine. 245–295
- Non-native plants 245–295
- North America, *Ammophila* 129–156
- Northwest Atlantic 406–479
- Ohio 178–209
- Old-field succession 157–170
- Old-field succession in western New York: The progression of forbs and woody species from abandonment to mature forest. 157–170
- Oldham, Michael J. 129–156
- Orchidaceae 389–405
- Paludification 296–344
- Paradis, Étienne 225–230
- Parpal, Alison A. 217–224
- Peatland 296–344
- Pederson, Judith 406–479
- Peirson, Jess A. and Dan K. Evans. The vascular flora of Sayres Pond, a remnant prairie fen in Champaign County, Ohio. 178–209
- Phragmites australis* subsp. *australis* 225–230

- Plant communities, Isles of Shoals, ME-NH 245-295; Ohio fen vegetation zones 178-209; peatlands, NH 296-344
- Platanthera* 389-405
- Platanthera aquilonis*, *P. huronensis*, and *P. dilatata* (Orchidaceae) herbarium specimens. Morphological discrimination of, 389-405
- Poaceae 129-156, 225-230
- Populus × rousseana* new to Connecticut 354-358
- Prairie 171-177
- Prairie fen 178-209
- Prairie fen in Champaign County, Ohio, vascular flora of 178-209
- Propagules 217-224
- Quercus ellottii* (Fagaceae) for the Running Oak of the southeastern United States. In defense of the binomial, 480-484 (Note)
- Quercus ellottii* 480-484
- Rainforest, Mexico 210-216
- Range extension, *Amelanchier alnifolia* var. *pumila* 379-388
- Rapid assessment studies 406-479
- Rapid assessment surveys of fouling and introduced seaweeds in the Northwest Atlantic, 406-479; list of seaweed species found 416-424
- Rare plant taxa, Isles of Shoals, ME-NH 245-295
- Rare species, Veracruz, Mexico 210-216
- Ratan, Ravin 217-224
- Reproductive biology, *Dirca mexicana* 365-378
- Reviewers of Manuscripts 499
- Riparian sediments 217-224
- Rosaceae 379-388
- Running Oak 480-484
- Sand prairie, dry 171-177
- Sand Prairie-Scrub Oak Nature Preserve, Mason County, Illinois. Herbaceous plant succession at, 171-177
- Saskatoon berry 379-388
- Sayres Pond, a remnant prairie fen in Champaign County, Ohio 178-209
- Schneider, Craig W., Alison A. Parpal, Caitlyn Hunt, and Ravin Ratan. Anoxic propagule survival in *Vaucheria* (Vaucheriales, Heterokontophyta) from New England riparian sediments, 217-224
- Sears, Christopher J. Morphological discrimination of *Platanthera aquilonis*, *P. huronensis*, and *P. dilatata* (Orchidaceae) herbarium specimens, 389-405
- Seaweed flora 1-102, 406-479
- Seaweed populations from Casco Bay, Maine. An historical comparison of, 1-102
- Seed bank 217-224
- Senterre, Bruno and Gonzalo Castillo-Campos. New reports of three species of Campanulaceae for Veracruz, Mexico, with comments on similar species, 210-216
- Serviceberry 379-388
- Shadbush 379-388
- Sierra Madre Oriental, Mexico 365-378
- Six new vascular plant taxa for Connecticut, 354-358 (New England Note)
- Solanum physalifolium* new to Connecticut 354-358
- Species-area relationship 245-295
- Stand development (forest) 157-170
- Statement of Ownership 128
- Study of the vegetation and floristic diversity of two peatland complexes of post-settlement origin in Lake Umbagog National Wildlife Refuge, Coos County, New Hampshire, A, 296-344; checklist 332-344
- Submontane forest, Mexico 210-216
- Succession 157-170, 171-177, wetland 178-209
- Succession in western New York: The progression of forbs and woody species from abandonment to mature forest. Old-field, 157-170

- Taxonomic recognition of *Ammophila champlainensis* and morphological variation in northeastern North American *Ammophila* (Poaceae). 129–156; map of collection localities 134
- Taxonomy. *Ammophila* 129–156. *Quercus ellottii* 480–484
- Terrestrialization 296–344
- The brown alga *Delmarea attenuata* does not occur in New England. 231–234 (Note)
- Thomas F. Lucy's plant collections, donated to the Buffalo Society of Natural Sciences in the early 20th century. 485–492 (Note); list of contributing collectors 487
- Thomas Walter 480–484
- Thymelaeaceae 365–378
- Tilden, Danielle, Lee B. Kass, and Todd P. Egan. Thomas F. Lucy's plant collections, donated to the Buffalo Society of Natural Sciences in the early 20th century. 485–492 (Note)
- Umbagog National Wildlife Refuge, Lake 296–344
- United States, southeastern 480–484
- Vascular flora 178–209, 245–295
- Vascular flora of Sayres Pond, a remnant prairie fen in Champaign County, Ohio. The, 178–209; Checklist 205–209
- Vascular plant richness 245–295
- Vaucheria* (Vaucheriales, Heterokontophyta) from New England riparian sediments. Anoxic propagule survival in, 217–224
- Vegetation and floristic diversity of two peatland complexes of post-settlement origin in Lake Umbagog National Wildlife Refuge, Coos County, New Hampshire. A study of the, 296–344; checklist 332–344
- Vegetation classification 296–344
- Veracruz, Mexico 210–216
- Wetland 178–209, 296–344
- Wetland succession 178–209
- Wilbur, Robert L. and Mengchi Ho. In defense of the binomial *Quercus ellottii* (Fagaceae) for the Running Oak of the southeastern United States. 480–484 (Note)
- Woody species with potential for invasiveness in New England. Fifteen, 345–353 (New England Note)
- Wynne, Michael J. The brown alga *Delmarea attenuata* does not occur in New England. 231–234 (Note)